



ZEBRA

TC2X ACCESSORIES GUIDE

ZEBRA TC20/25 Accessory Ecosystem

Base Single Slot Cradle
CRD-TC2X-BS1CO-01

Vehicle Holder
CRD-TC2X-VCH1-01

Hand Strap
SG-TC2X-HSTRP1-01
SG-TC20K-HSTRP1-01

ShareCradle System
1-slot Ethernet (CRD-TC2X-SE1ET-01)
5-Slot Charge Only (CRD-TC2X-SE5CU-01)

TC20K Soft Holster
SG-TC20K-HLSTR1-01

TC2X Soft Holster
SG-TC2X-HLSTR1-01

Trigger Handle
TRG-TC2X-SNP1-01

Arm Mount*
SG-TC2X-ARMNT-01

Optional PowerPack Battery
BTRY-TC2X-PRPK1-01

M
DX30
Wall Power Supply
Cig Lighter Adapter- Type A
Ethernet Dongle
RS6000/RS507x
USB C Cable CBL-TC2X-USBC-01

*Item not available in all countries.

Additional PowerPack Battery

BTRY-TC2X-PRPK1-01

TC2X Optional PowerPack Battery

Charges the internal TC2X battery

Provides additional 8 - 10 hours of battery life

LED indicators on the top of the PowerPack indicate charge level

Charges in all of the cradle solutions with or without the TC20/25

Supports both hand straps (SG-TC2X-HSTRP1-01 and SG-TC20K-HSTRP1-01)



USB C Connector



Single Slot Base Cradle



1 & 5-Slot ShareCradles



Single Slot is USB/Charging cradle and 5-slot only available in charge only

19 inch Rack Mountable (Mounting accessory required)

*5-Slot Cradles requires power supply PWR-BGA12V108W0WW,
DC Line Cord CBL-DC-382A1-0 & country specific AC Line Cord (sold separately)*





Trigger Handle

TRG-TC2X-SNP1-01

TC2X Snap-On Trigger Handle

Transforms device into all-touch handle style terminal for use in **interim** high volume scanning operations



Easily attaches to TC2X top housing
 Integrated 3-point stand for resting terminal when not in use
 Exposed Contacts provide ability to charge with the 5-Slot & Single Slot Cradles
 Optional Wrist Tether (sold separately) 50-12500-066
 The Trigger Handle is only available to be used on the TC2X Series SE4710 SKUs (not applicable for TC20 with Keyboard)

RFID Sled

RFD2000

RFID Gun for TC2X



Enables a user to scan RFID tags
 Easily attaches to the TC2X top housing
 Exposed contacts provide ability to charge w/ the 5-Slot & Single Slot SHARECRADLES (requires a different cup)
 The customer needs the 8-Pin Rugged IO door that is only available on the TC20 Premium SE4710 SKU

Trigger Handle Service Plan

The TC2X trigger accessory provides users with significant flexibility as they adapt the TC2X device to different operations within their retail environment. The TC2X trigger accessory is considered a consumable item which may need to be replaced during the life of a TC2X. Therefore, Zebra highly recommends the purchase of a Zebra trigger handle service plan.

*For dedicated high-intensity scanning operations, customers are urged to consider Zebra mobile devices with integrated gun handles such as the MC33 and TC8000.

OPT-TRGMNT-3

3-Year Zebra OneCare Comprehensive Trigger Maintenance

OPT-TRGMNT-5

5-Year Zebra OneCare Comprehensive Trigger Maintenance

Soft Holsters

SG-TC2X-HLSTR1-01/SG-TC20K-HLSTR1-01

TC2X Soft Holster/TC20 Keyboard Soft Holster

TC2X Open Bucket design to accommodate hand strap + Snap-

Opening for audio & drainage

Non-rotating clip

Adjustable belt to fit the TC2X with or without the PowerPack

SG-TC2X supports All-Touch models and SG-TC20K supports keypad models.



Hand Strap

SG-TC2X-HSTRP1-01/SG-TC20K-HSTRP1-01

TC2X Hand Strap 3/TC20K Keyboard Hand strap

Nylon tether that loops into terminal for easy insertion/removal

Leather and Hypalon Pad for maximum comfort & wear resistance with Adjustable Velcro design

SG-TC2X supports All-Touch models and SG-TC20K supports keypad models.



Arm Mount

SG-TC2X-ARMNT-01

TC2x Arm Mount

Enables the TC2X to be mounted to the arm for hands free operation
Opening to use scan buttons or scan with the hands free RS6000 Bluetooth Ring Scanner



In-Vehicle Holder



CRD-TC2X-VCH1-01

TC2X In-Vehicle Holder

Suction Cup for Easy Window or Dashboard Mount
Supports TC20/TC25 All-Touch Models
Supports device with and without PowerPack
Audio Port and USB-C jack accessible
Does NOT support Snap-On Accessories

Headset

HSDT-35MM-PTVP-01

Over the ear headset with MIC and PTT 3.5mm
Requires 3.5mm adapter cable
CBL-TC51-HDST35-01 (sold separately)



Bluetooth Headset

HS3100-OTH

HS3100 Rugged Bluetooth Headset Over-The-Head Headband includes HS3100 Boom Module and HSX100 OTH Headband Module



Audio Adapter Cable

CBL-TC51-HDST35-01

3.5MM Collared Female to 3.5MM Male
Headset adapter Cable.



USB C Cable

CBL-TC2X-USBC-01

TC20/25 USB C Cable to be used for charging and communications



Wall Charger – Power Supply

PWR-WUA5V12W0XX

Power Supply-100-240 VAC, 5 V, 2.5 A with country specific plugs.



Country	Power Supply Part Number
United States	PWR-WUA5V12W0US
Great Britain	PWR-WUA5V12W0GB
Europe	PWR-WUA5V12W0EU
Australia	PWR-WUA5V12W0AU
China	PWR-WUA5V12W0CN
Brazil	PWR-WUA5V12W0BR
Korea	PWR-WUA5V12W0KR
India	PWR-WUA5V12W0IN



ZEBRA AC Line Cords Country Specific

Country	Three Wire AC Line Cord
Abu Dhabi	50-16000-220R: 1.8M long, CEE 7/7 plug
Australia	50-16000-217R: 1.9M long, AS 3112 plug
Bolivia	50-16000-220R: 1.8M long, CEE 7/7 plug
Brazil	50-16000-727R: 18AWG, 250V, 16A, BR (3w)
China	50-16000-217R: 1.9M long, AS 3112 plug 50-16000-257R: 1.8M long, IEC 60320 C13 plug
Dubai	50-16000-220R: 1.8M long, CEE 7/7 plug
Egypt	50-16000-220R: 1.8M long, CEE 7/7 plug
Europe	50-16000-220R: 1.8M long, CEE 7/7 plug
Hong Kong	50-16000-219R: 1.8M long, BS1363 plug
India	50-16000-669R: 1.9M long, BS 546 plug
Iran	50-16000-220R: 1.8M long, CEE 7/7 plug
Iraq	50-16000-219R: 1.8M long, BS1363 plug

Country	Three Wire AC Line Cord
Israel	50-16000-672R: 1.9M long, S132 plug
Italy	50-16000-671R: 1.8M long, CIE 23-16 plug
Japan	50-16000-218R: 1.8M long, NEMA 1-15P plug
Korea	50-16000-220R: 1.8M long, CEE 7/7 plug 50-16000-256R: 1.8M long, CEE7/7 plug
Malaysia	50-16000-219R: 1.8M long, BS1363 plug
New Guinea	50-16000-217R: 1.9M long, AS 3112 plug
Russia	50-16000-220R: 1.8M long, CEE 7/7 plug
Singapore	50-16000-219R: 1.8M long, BS1363 plug
UK	50-16000-219R: 1.8M long, BS1363 plug
US	23844-00-00R: 7.5 feet long 50-16000-221R: 1.8M long, USA NEMA 5-15P
Vietnam	50-16000-220R: 1.8M long, CEE 7/7 plug