

# Epson TM-P60II Series



The Epson TM-P60II is a second-generation, wireless mobile receipt printer from the world's leading POS printer manufacturer<sup>1</sup>. Offering a brilliantly simple printing solution, the hand-held TM-P60II prints directly from mobile devices<sup>2</sup> – no drivers needed.

Unique, built-in intelligence, called Epson ePOS-Print, enables the TM-P60II to receive XML commands from web applications, and to print directly from popular web browsers. This makes integration and maintenance easy.

To help serve customers quickly, the high-performance TM-P60II prints receipts at up to 100mm/sec. Drop-in paper loading ensures there are no delays.

The TM-P60II is designed for maximum reliability, with a rugged case. Its battery lasts for up to 46 hours in Bluetooth mode, and up to four batteries can be charged simultaneously using the optional charging unit.

## DATASHEET



## KEY FEATURES

- **Convenience**  
Wireless, hand-held POS printing
- **High-performance**  
Prints receipts at up to 100mm/sec
- **Reliability**  
Compact and robust design
- **Epson ePOS-Print**  
XML command compatible
- **Easy integration**  
No drivers to install or update

## PRODUCT SPECIFICATIONS

|                             |   |
|-----------------------------|---|
| Print speed                 | 100 mm/sec  |
| <b>FONTS &amp; STYLES</b>   |   |
| Print Speed receipt         | 100 mm/sec  |
| Print Speed                 | 100 mm/sec  |
| Printing Font               | ANK   |
| Printing Font Receipt       | ANK   |
| Character size              | 1.5 mm (W) x 3 mm (H) / 1.25 mm (W) x 3 mm (H)  |
| Character set               | 95 Alphanumeric, 18 set International, 128 x 43 Graphic                               |
| Dot density                 | 203 dpi x 203 dpi   |
| Printing Characters         | Text (incl. Euro symbol), Graphics, Barcode   |
| <b>INTERFACES</b>           |   |
| Interfaces                  | Bluetooth (optional), Wireless LAN IEEE 802.11a/b/g/n (optional), USB 2.0 Type Mini-B |
| <b>POWER</b>                |   |
| Power Supply                | PS-11, UK AC cable, EURO AC cable   |
| Battery Life                | WiFi 14 Hours, WiFi (Energy saving mode) 27 Hours, Bluetooth 46 Hours                 |
| Operating voltage           | 24 V  |
| <b>GENERAL</b>              |   |
| Product dimensions          | 103 x 159 x 65 mm (Width x Depth x Height)  |
| Product weight              | 0.63 kg   |
| Colour                      | Black (EBCK)  |
| Noise Level                 | Operation: 53 dB (A)  |
| Humidity                    | Operation 10% - 90%   |
| <b>DATA BUFFER</b>          |   |
| Data Buffer                 | 64 kB   |
| <b>STANDARDS COMPLIANCE</b> |   |
| EMC Standards               | FCC class A, CE marking   |
| Safety standards            | UL, CSA, EN   |
| <b>OTHER FEATURES</b>       |   |
| Cutter                      | Partial Cut   |
| Preloaded SW                | ePOS-Print®   |
| Sensors                     | Roll paper cover open sensor, Paper End Sensor  |
| <b>OTHER</b>                |   |
| Warranty                    | 12 months Carry in<br>Optional warranty extension available                           |

## LOGISTICS INFORMATION

|                          |                    |
|--------------------------|--------------------|
| Dimensions Single Carton | 229 x 185 x 104 mm |
| Carton Weight            | 1 Kg               |
| Multiple Order Quantity  | 1 Units            |
| Pallet Size Euro         | 432 Units (54 x 8) |

Available on  
iPod iPhone iPad



\* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit [www.epson-europe.com](http://www.epson-europe.com)  
Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04  
(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece 210-8099499 Hungary 06800 147 83  
Ireland 01 436 7742  
Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway  
+47 67 11 37 00 Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429  
South Africa (+2711) 465-9621  
Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min)  
Switzerland 022 592 7923 Turkey (0212) 3360303 United Kingdom 0871 222 6702

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.  
Product information is subject to change without prior notice.

## Epson TM-P60II Series

### WHAT'S IN THE BOX


- Battery (OY-BY60II)
- Belt clip
- Cable fixation saddle
- Main unit
- Roll paper
- USB cable

### OPTIONAL ACCESSORIES

- OT-CH60II: Multi battery charger for TM-P60II/P80 C32C825374
- PS-11: Power supply for TM-P60II/P80 C32C825375
- OT-BY60II: Lithium-ion battery for TM-P60II/P80 C32C831091
- OT-SB60II: Single battery charger for TM-P60II/P80 C32C881007

**EPSON®**

# Epson TM-P60II Peeler Series



The Epson TM-P60II Peeler is a second-generation, wireless mobile label printer from the world's leading POS printer manufacturer<sup>1</sup>. Offering a brilliantly simple printing solution, the hand-held TM-P60II Peeler prints directly from mobile devices<sup>2</sup> – no drivers needed.

Unique, built-in intelligence, called Epson ePOS-Print, enables the TM-P60II Peeler to receive XML commands from web applications, and to print directly from popular web browsers. This makes integration and maintenance easy.

Ideal for shelf-edge labelling and product tagging, the TM-P60II Peeler gets the job done quickly with high-performance printing at up to 80mm/sec. Drop-in paper loading helps save time.

The TM-P60II Peeler is designed for maximum reliability, with a rugged case. Its battery lasts for up to 46 hours in Bluetooth mode, and up to four batteries can be charged simultaneously using the optional charging unit.

## DATASHEET



## KEY FEATURES

- **Convenience**  
Wireless, hand-held label printing
- **High-performance**  
Prints labels at up to 80mm/sec
- **Reliability**  
Compact and robust design
- **Epson ePOS-Print**  
XML command compatible
- **Easy integration**  
No drivers to install or update

## PRODUCT SPECIFICATIONS

### FONT SIZES & STYLES

|                           |                   |
|---------------------------|-------------------|
| Print Speed (label)       | 80 mm/sec         |
| Print Speed (peeler mode) | 40 mm/sec         |
| Dot density               | 203 dpi x 203 dpi |

### INTERFACES

|            |   |
|------------|---|
| Interfaces | USB 2.0 Type Mini-B, Wireless LAN IEEE 802.11a/b/g/n (optional), Bluetooth (optional) |
|------------|---|

### POWER

|                   |   |
|-------------------|---|
| Power Supply      | PS-11   |
| Battery Life      | WiFi 14 Hours, WiFi (Energy saving mode) 27 Hours, Bluetooth 46 Hours |
| Operating voltage | 24 V  |

### GENERAL

|                    |  |
|--------------------|--|
| Product dimensions | 103 x 159 x 65 mm (Width x Depth x Height) |
| Product weight     | 0.61 kg                                    |
| Colour             | Black (EBCK)                               |
| Noise Level        | Operation: 53 dB (A)                       |
| Humidity           | Operation 10% - 90%                        |

### DATA BUFFER

|             |             |
|-------------|-------------|
| Data Buffer | 4,096 Bytes |
|-------------|-------------|

### STANDARDS COMPLIANCE

|                  |                         |
|------------------|-------------------------|
| EMC Standards    | FCC class B, CE marking |
| Safety standards | UL, CSA, EN             |

### OTHER

|          |   |
|----------|---|
| Warranty | 12 months Carry in<br>Optional warranty extension available |
|----------|---|

## LOGISTICS INFORMATION

|                          |                    |
|--------------------------|--------------------|
| Dimensions Single Carton | 229 x 185 x 104 mm |
| Carton Weight            | 1 Kg               |
| Multiple Order Quantity  | 1 Units            |
| Pallet Size Euro         | 432 Units (54 x 8) |

## Epson TM-P60II Peeler Series

### WHAT'S IN THE BOX

- Battery (OY-BY60II)
- Belt clip
- Cable fixation saddle
- Main unit
- Roll paper
- USB cable

### OPTIONAL ACCESSORIES

- PS-11: Power supply for TM-P60II/P80  
C32C825375
- OT-CH60II: Multi battery charger for TM-P60II/P80  
C32C825374
- OT-BY60II: Lithium-ion battery for TM-P60II/P80  
C32C831091
- OT-SB60II: Single battery charger for TM-P60II/P80  
C32C881007



\* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit [www.epson-europe.com](http://www.epson-europe.com)  
Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04  
(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece 210-8099499 Hungary 06800 147 83  
Ireland 01 436 7742  
Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway  
+47 67 11 37 00 Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429  
South Africa (+2711) 465-9621  
Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min)  
Switzerland 022 592 7923 Turkey (0212) 3360303 United Kingdom 0871 222 6702

1. Source: Futuresource Consulting Limited, [www.futuresource-consulting.com](http://www.futuresource-consulting.com)
2. ePOS-Print is available in WLAN mode only

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.  
Product information is subject to change without prior notice.